



**CITY OF WILLIAMSBURG, VIRGINIA  
INVITATION FOR BIDS (IFB) 01-4101-15  
YORK STREET FROM PAGE STREET TO QUARTERPATH ROAD  
SIDEWALK AND ROADWAY IMPROVEMENTS  
VDOT PROJECT NO: 060-137-R49, P101, M501 UPC: #104334**

**ADDENDUM NUMBER 1**

**DATE: March 19, 2015**

This addendum is forwarded to provide revisions to the IFB and clarify issues in the bid documents. Please call Mr. Aaron Small, at (757) 220-6140 if you have a question regarding this Addendum.

**BID DOCUMENT**

1. **Append** the following to the Project Specific Provisions:
  
13. **SECTION 705.02—MATERIALS** of the Specifications is amended to include the following:

“Non-standard (NS) lighting fixtures shall be aluminum, standard black finish, fully enclosed “shoebox” type, 250W metal halide, ballast included, for mounting on a round pole, standard length mast arm, lamp included, Type IV distribution (forward throw, sharp cutoff), compatible with the existing electrical system voltage, and fused. Fixtures shall be Lithonia Lighting model KSF-1 or approved equal. Contractor shall verify existing electrical connection (voltage and conductor size) prior to ordering fixtures and immediately report discrepancies to the Engineer.

Non-standard (NS) poles shall be standard black finish, round, tapered pole suitable for mounting the fixture at a nominal height of 16 feet above grade. Poles shall be Lithonia Lighting model RTA or 3RTA, or approved equal. Contractor shall verify bolt pattern and supply all bolts, mounting hardware, and adapters as required to anchor the post to the existing concrete base to resist the lateral loading of the light pole and as approved by the Engineer.”

This Addendum is a part of the Invitation for Bids (IFB) and Contract Documents.

**ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME**

**END OF ADDENDUM**

R:\2014 York Street Improvements\Specs\2015-03-19 Addendum1.doc